

Produktdetails

6716/01 UJ-885

6716/01 UJ-885 Smart switch Komplettsset 4 Kan. schwarz - future® linearBluetooth



Allgemeine Informationen

Typ	6716/01 UJ-885
Bestellnummer	2CKA006730A0155
EAN	4011395310601
Beschreibung	6716/01 UJ-885 Smart switch Komplettsset 4 Kan. schwarz - future® linearBluetooth

Langbeschreibung	Bluetooth Low Energy (BLE) smart switch complete set. Wall transmitter, 2/4 channels. Consisting of BLE smart switch insert 6716 UBT, 2gang rocker 6736 FoH-8xx for smart switches, 1gang future® linear cover frame, fixing plate and intermediate ring. Smarter light switch for wireless remote control of BLE radio devices. Compatible with Bluetooth ecosystems of following companies: aruba, Casambi, enlightened, Fulham, Helvar, Hytronik, Lumobi, Qeedji, SILVAIR, Blu2Light (Vossloh Schwabe), WISILICIA, XICATO Controls.
	• For saving, calling up and dimming individual light scenes. • Battery-free switch, no connection to mains voltage (230 V~) required. • Particularly environmentally friendly, sustainable and maintenance-free Transmission energy is generated when switching (energy harvesting). • Maximum functional reliability through Bluetooth mesh technology. • Combinable with the Busch-Jaeger switch ranges carat®, Busch-dynasty®, pure stainless steel, solo®, Busch-axcent® and future® linear. • Can be mounted freely in the room with the enclosed adhesive tape and fixing plate. Including fixing plate for mounting on smooth walls or on switch boxes.

Installation / Montage

Betriebs- und Montageanleitung	2CKA000073B5274
--------------------------------	-----------------

Technische Daten

Anzahl Kanäle	4
Schalterdesign	future® linear 63x63
Übertragungsstandard	Bluetooth
Montageart	Aufputzmontage
Ausführung der Oberfläche	lackiert matt
Werkstoff	Thermoplastischer Kunststoff
RAL Nummer	RAL 9005 - tiefschwarz
Farbe	schwarz
Anwendungsbereich	Elektrische Last- und Lichtsteuerung

Umwelt

RoHS Status	nach EU-Richtlinie 2015/863 22. Juli 2019 (RoHS 3)
RoHS Information	2CKA200000E7666
REACH Erklärung	2CKA309999E9999

Abmessungen

Breite des Produkts	40 mm
Höhe des Produkts	11.5 mm
Tiefe des Produkts	40 mm
Nettogewicht	26.6 g

Bestelldaten

Mindestbestellmenge	1 Stück
Menge Verpackungseinheit 1	Karton 1 Stück
Bruttogewicht Verpackungseinheit 1	187 g
Zolltarifnummer	85365080
Herkunftsland	Deutschland (DE)

Klassifizierungen

ETIM 8	EC000257 - Sender/Fernbedienung für Installationsschalterprogramme
ETIM 9	EC000257 - Sender/Fernbedienung für Installationsschalterprogramme
WEEE Kategorie	5. Geräte, bei denen keine der äußeren Abmessungen mehr als 50 cm beträgt (Kleingeräte)
WEEE B2C / B2B	B2B
CN8	8536 50 80
eClass	V11.0 : 27144039

Kategorien

Niederspannungsprodukte und Systeme → Schalterprogramme → Abdeckungen (teilweise inkl. Einsatz) → Elektronische Bedienelemente

Niederspannungsprodukte und Systeme → Schalterprogramme → Abdeckungen (teilweise inkl. Einsatz) → Sets

